# **AkzoNobel**

## SAFETY DATA SHEET

DI-TEX 50 MATT BASE CLOVE BROWN AIC 9.47

### **Section 1. Identification**

DI-TEX 50 MATT BASE CLOVE BROWN AIC 9.47 : Product identifier

84280947B : **SDS code** 

#### Recommended use of the chemical and restrictions on use

Identified uses

Waterborne paint. Professional use Industrial use

All other uses

Waterborne coating for interior use. : **Product use** 

Supplier's details

MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France

: Importer

PSRA\_PAMIERS@akzonobel.com : e-mail address of person responsible for this SDS

: Emergency telephone number

Section 2. Hazard identification

SKIN SENSITIZATION - Category 1

: Classification of the substance or mixture

**GHS** label elements

+33 (0)5 34 01 34 01

+33 (0)5 61 60 23 30

**(!)** 

: Hazard pictograms

Warning : Signal word

May cause an allergic skin reaction. : Hazard statements

**Precautionary statements** 

Wear protective gloves. Avoid breathing vapor. : Prevention

Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with : Response

Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.

Not applicable. : **Storage**Dispose of contents and container in accordance with all local, regional, national : **Disposal** 

Dispose of contents and container in accordance with all local, regional, national and international regulations.

Date of issue/Date of revision : 21-10-2022 Version : 1.02

Date of previous issue :5-10-2022 1/9 AkzoNobel

### Section 2. Hazard identification

None known.

Cher hazards which do not result in classification

### Section 3. Composition/information on ingredients

Mixture : Substance/mixture

CAS number	%	Ingredient name
55965-84-9	<0.0025	C(M)IT/MIT(3:1)

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of necessary first aid measures**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

: Inhalation

: Eye contact

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

: Skin contact

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

: Ingestion

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

No known significant effects or critical hazards. : Eye contact

No known significant effects or critical hazards. : Inhalation

May cause an allergic skin reaction. : Skin contact

No known significant effects or critical hazards. : Ingestion

Over-exposure signs/symptoms

No specific data. : Eye contact
No specific data. : Inhalation

Date of issue/Date of revision : 21-10-2022 Version : 1.02

Date of previous issue : 5-10-2022 2/9 AkzoNobel

### Section 4. First aid measures

Adverse symptoms may include the following:

irritation redness

No specific data.

: Skin contact

: Ingestion

### Indication of immediate medical attention and special treatment needed, if necessary

In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

No specific treatment.

No action shall be taken involving any personal risk or without suitable training. It

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

: Notes to physician

: Specific treatments

: Protection of first-aiders

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

### **Extinguishing media**

Use an extinguishing agent suitable for the surrounding fire.

: Suitable extinguishing

media

None known.

: Unsuitable extinguishing media

In a fire or if heated, a pressure increase will occur and the container may burst.

: Specific hazards arising from the chemical

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides halogenated compo

halogenated compounds metal oxide/oxides : Hazardous thermal decomposition products

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

: Special protective actions for fire-fighters

: Special protective equipment for fire-fighters

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

: For non-emergency personnel

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

: For emergency responders

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

: Environmental precautions

Date of issue/Date of revision : 21-10-2022 Version : 1.02

Date of previous issue : 5-10-2022 3/9 AkzoNobel

### Section 6. Accidental release measures

### Methods and materials for containment and cleaning up

Stop leak if without risk. Move containers from spill area. Dilute with water and mop : Small spill up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

: Large spill

### Section 7. Handling and storage

### Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

: Protective measures

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

: Advice on general occupational hygiene

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

: Conditions for safe storage, including any incompatibilities

### Section 8. Exposure controls/personal protection

#### **Control parameters**

### Occupational exposure limits

None.

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Emissions from ventilation or work process equipment should be checked to ensure

: Appropriate engineering controls

they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

: Environmental exposure controls

### **Individual protection measures**

: 21-10-2022 Date of issue/Date of revision Version: 1.02

**AkzoNobel** Date of previous issue : 5-10-2022 4/9

### Section 8. Exposure controls/personal protection

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

: Hygiene measures

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

: Eye/face protection

### Skin protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

: Hand protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

: Body protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

: Other skin protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

: Respiratory protection

# Section 9. Physical and chemical properties and safety characteristics

### **Appearance**

Liquid. : Physical state

Brown. : Color Characteristic. : Odor

Not available. : Odor threshold

Hα :

Not available. : Melting point/freezing point

Not available. : Boiling point

Closed cup: 105°C (221°F) : Flash point

Not available. : Evaporation ra

Not available. : Evaporation rate
Not available. : Flammability

Not available. : Lower and upper explosion limit/flammability limit

Not available. : Vapor pressure

Highest known value: (Oxirane, 2-methyl-, polymer with oxirane, monobutyl ether). : Relative vapor density

Not available. : Relative density
Easily soluble in the following materials: cold water. : Solubility

Not available. : Partition coefficient: noctanol/water

Not available. : Auto-ignition temperature

Date of issue/Date of revision : 21-10-2022 Version : 1.02

Date of previous issue : 5-10-2022 5/9 AkzoNobel

# Section 9. Physical and chemical properties and safety characteristics

Not available. : Decomposition temperature

Kinematic (room temperature): 8.97 cm²/s (897 cSt) : **Viscosity** Kinematic (40°C (104°F)): 2.01 cm²/s (201 cSt)

Not available. : Flow time (ISO 2431)

1.338 g/cm<sup>3</sup> : Density

### Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients. : Reactivity

The product is stable. : Chemical stability

Under normal conditions of storage and use, hazardous reactions will not occur. : Possibility of hazardous

reactions

No specific data. : Conditions to avoid

No specific data. : Incompatible materials

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: Hazardous decomposition products

### **Section 11. Toxicological information**

### Information on toxicological effects

### Acute toxicity

Not available.

#### **Irritation/Corrosion**

Not available.

#### **Sensitization**

Not available.

### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Date of issue/Date of revision : 21-10-2022 Version : 1.02

Date of previous issue : 5-10-2022 6/9 AkzoNobel

### **Section 11. Toxicological information**

Not available. : Information on the likely

routes of exposure

Potential acute health effects

No known significant effects or critical hazards. : Eye contact

No known significant effects or critical hazards. : Inhalation

May cause an allergic skin reaction. : Skin contact

No known significant effects or critical hazards. : Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

No specific data. : Eye contact

No specific data. : Inhalation

Adverse symptoms may include the following: : Skin contact

irritation redness

No specific data. : Ingestion

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Not available. : Potential immediate

effects

Not available. : Potential delayed effects

Long term exposure

Not available. : Potential immediate

effects

Not available. : Potential delayed effects

Potential chronic health effects

Not available.

Once sensitized, a severe allergic reaction may occur when subsequently exposed : General

to very low levels.

No known significant effects or critical hazards. : Carcinogenicity

No known significant effects or critical hazards. : Mutagenicity

No known significant effects or critical hazards. : Reproductive toxicity

**Section 12. Ecological information** 

**Toxicity** 

Not available.

Persistence and degradability

Not available.

**Bioaccumulative potential** 

Not available.

**Mobility in soil** 

Date of previous issue : 5-10-2022 7/9 AkzoNobel

## **Section 12. Ecological information**

Not available. : Soil/water partition coefficient (Koc)

No known significant effects or critical hazards. : Other adverse effects

### Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

: Disposal methods

### Section 14. Transport information

IATA	IMDG	UN	
Not regulated.	Not regulated.	Not regulated.	UN number
-	-	-	UN proper shipping name
-	-	-	Transport hazard class(es)
-	-	-	Packing group
No.	No.	No.	Environmental hazards

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

: Special precautions for user

Not available.

: Transport in bulk according to IMO instruments

### **Section 15. Regulatory information**

#### **Inventory list**

Not determined. : Australia

At least one component is not listed. : Canada

Not determined. : China

Not determined. : Europe

✓apan inventory (ENCS): Not determined.: JapanJapan inventory (ISHL): Not determined.

Mot determined.: New ZealandMot determined.: Philippines

Not determined. : Republic of Korea

Date of issue/Date of revision: 21-10-2022Version: 1.02

Date of previous issue :5-10-2022 8/9 AkzoNobel

### **Section 15. Regulatory information**

Not determined. : Taiwan

Not determined. : Thailand

Not determined. : Turkey

Not determined. : United States

Not determined. : Viet Nam

### Section 16. Other information

#### **History**

1 November 2022 : Date of printing

21 October 2022 : Date of issue/Date of

revision

5 October 2022 : Date of previous issue

1.02 : Version

: Unique ID

ATE = Acute Toxicity Estimate : Key to abbreviations

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SGG = Segregation Group

UN = United Nations

### Procedure used to derive the classification

Justification	Classification
Calculation method	SKIN SENSITIZATION - Category 1

#### Indicates information that has changed from previously issued version.

### Notice to reader

#### FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

Date of issue/Date of revision : 21-10-2022 Version : 1.02

Date of previous issue : 5-10-2022 9/9 AkzoNobel