

SAFETY DATA SHEET

FR-PREPRIME BASE

Safety data sheet according to GOST 30333-2007

Section 1. Chemical product and company identification GHS product identifier : FR-PREPRIME BASE SDS code : 61200000B Relevant identified uses of the substance or mixture and uses advised against Image: Comparison of the substance or mixture and uses advised against Image: Comparison of the substance or mixture and uses advised against Image: Comparison of the substance or mixture and uses advised against Image: Comparison of the substance or mixture and uses advised against Image: Comparison of the substance or mixture and uses advised against Image: Comparison of the substance or mixture and uses advised against All other uses Product use : Filler for interior use Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) e-mail address of person : PSRA_PAMIERS@akzonobel.com responsible for this SDS Emergency telephone : +33 (0)5 34 01 34 01 number (with hours of the state of the s			
SDS code : 6120000B Relevant identified uses of the substance or mixture and uses advised against Image: Colspan="2">Identified uses Image: Colspan="2">Values advised against Image: Colspan="2">Uses advised against Image: Colspan="2">Advised against Image: Colspan="2">Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France France : +7 343 229 98 57 Poison Center (For use only : by licensed medical professionals.) : e-mail address of person e-mail address of person : PSRA_PAMIERS@akzonobel.com Emergency telephone : +33 (0)5 34 01 34 01 number (with hours of : +33 (0)5 40 02 3 30	Section 1. Chemical product and company identification		
Relevant identified uses of the substance or mixture and uses advised against Identified uses Waterborne paint. Professional use Industrial use Uses advised against All other uses Uses advised against Product use : Filler for interior use Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) e-mail address of person : PSRA_PAMIERS@akzonobel.com Emergency telephone : +33 (0)5 34 01 34 01 Emergency telephone : +33 (0)5 61 60 23 30	GHS product identifier	: FR-PREPRIME BASE	
Identified uses Waterborne paint. Professional use Industrial use Uses advised against All other uses Product use : Filler for interior use Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) e-mail address of person : PSRA_PAMIERS@akzonobel.com responsible for this SDS Emergency telephone : +33 (0)5 34 01 34 01 number (with hours of +33 (0)5 61 60 23 30	SDS code	: 61200000B	
Identified uses Waterborne paint. Professional use Industrial use Uses advised against All other uses Product use : Filler for interior use Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) e-mail address of person : PSRA_PAMIERS@akzonobel.com responsible for this SDS Emergency telephone : +33 (0)5 34 01 34 01 number (with hours of +33 (0)5 61 60 23 30			
Waterborne paint. Professional use Industrial use Uses advised against All other uses Product use : Filler for interior use Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) : PSRA_PAMIERS@akzonobel.com e-mail address of person : PSRA_PAMIERS@akzonobel.com Emergency telephone : +33 (0)5 34 01 34 01 number (with hours of : +33 (0)5 34 01 34 01	Relevant identified uses of th	e substance or mixture and uses advised against	
Uses advised against All other uses All other uses Product use : Filler for interior use Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) e-mail address of person e-mail address of person : PSRA_PAMIERS@akzonobel.com responsible for this SDS Emergency telephone : +33 (0)5 34 01 34 01 mumber (with hours of		Identified uses	
All other uses Product use : Filler for interior use Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) e-mail address of person : PSRA_PAMIERS@akzonobel.com responsible for this SDS Emergency telephone : +33 (0)5 34 01 34 01 number (with hours of +33 (0)5 61 60 23 30	Waterborne paint. Professiona	l use Industrial use	
Product use : Filler for interior use Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) : +7 343 229 98 57 e-mail address of person responsible for this SDS : PSRA_PAMIERS@akzonobel.com Emergency telephone number (with hours of : +33 (0)5 34 01 34 01 +33 (0)5 61 60 23 30		Uses advised against	
Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ France : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) : +7 343 229 98 57 e-mail address of person responsible for this SDS : PSRA_PAMIERS@akzonobel.com Emergency telephone number (with hours of : +33 (0)5 34 01 34 01 +33 (0)5 61 60 23 30	All other uses		
MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France National advisory body/ : +7 343 229 98 57 Poison Center (For use only by licensed medical professionals.) e-mail address of person : PSRA_PAMIERS@akzonobel.com responsible for this SDS Emergency telephone : +33 (0)5 34 01 34 01 number (with hours of : +33 (0)5 61 60 23 30	Product use	: Filler for interior use	
Poison Center (For use only by licensed medical professionals.) PSRA_PAMIERS@akzonobel.com e-mail address of person responsible for this SDS : PSRA_PAMIERS@akzonobel.com Emergency telephone number (with hours of : +33 (0)5 34 01 34 01 +33 (0)5 61 60 23 30	MAPAERO SAS 10, Avenue de la Rijol 09103 PAMIERS Ced France	lex	
responsible for this SDS	Poison Center (For use only by licensed medical	: +7 343 229 98 57	
number (with hours of +33 (0)5 61 60 23 30	•	: PSRA_PAMIERS@akzonobel.com	
	number (with hours of		

Section 2. Hazards identification

Classification of the subst	ance or mixture according to G	OST 32419-2013 and GOST 3242	23/24/25-2013
Classification of the substance or mixture	: CHEMICALS THAT CAUSI sensitization AQUATIC HAZARD (ACUT AQUATIC HAZARD (LONG		ch cause skin
<u>GHS label elements</u> Hazard pictograms			
Signal word	: Warning		
		reaction	
Hazard statements	: May cause an allergic skin Harmful to aquatic life with		
Hazard statements Date of issue/Date of revision			AkzoNobel

Section 2. Hazards identification

Precautionary statements	
Prevention	: Wear protective gloves, protective clothing and eye or face protection. Avoid release to the environment. Avoid breathing vapor.
Response	: Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Call a POISON CENTER or physician.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other hazards which do not : None known. result in classification

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	CAS number	Classification	Туре
C(M)IT/MIT(3:1)	<0.025	55965-84-9	ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2 ACUTE TOXICITY (inhalation) - Category 2 SKIN CORROSION/IRRITATION - Category 1 C CHEMICALS THAT CAUSE SENSITIZATION - Chemical which cause skin sensitization AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First ai	d measures
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and ge medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/e	ffects, acute and delayed
Potential acute health effe	<u>ots</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/symp</u>	<u>itoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate mee	lical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation Wash contaminated clothing thoroughly with water before removing it, or wear

See toxicological information (Section 11)

gloves.

Section 5. Fire-fighting measures			
Extinguishing media			
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	: None known.		
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.		
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides		

Date of issue/Date of revision	: 6-10-2022	Version : 1.01	
Date of previous issue	: 30-9-2022	3/10	AkzoNobel

Section 5. Fire-fighting measures

N	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas.

Up reach without risk: Move containers from spin area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.



Section 7. Handling and storage

Conditions for safe storage,	: Store in accordance with local regulations. Store in original container protected
including any	from direct sunlight in a dry, cool and well-ventilated area, away from incompatible
incompatibilities	materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.
	Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

<u>control parameters</u>		
Occupational exposure lin		
None.		
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to a contaminants.	airborne
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to they comply with the requirements of environmental protection legislation. I cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measure		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical product eating, smoking and using the lavatory and at the end of the working period Appropriate techniques should be used to remove potentially contaminated Contaminated work clothing should not be allowed out of the workplace. W contaminated clothing before reusing. Ensure that eyewash stations and sa showers are close to the workstation location.	l. clothing. ′ash
Eye/face protection	Safety eyewear complying with an approved standard should be used when assessment indicates this is necessary to avoid exposure to liquid splashes gases or dusts. If contact is possible, the following protection should be wo unless the assessment indicates a higher degree of protection: safety glass side-shields.	s, mists, orn,
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard be worn at all times when handling chemical products if a risk assessment it this is necessary. Considering the parameters specified by the glove manu	indicates

indicates ufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. **Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product. : Appropriate footwear and any additional skin protection measures should be Other skin protection selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.



Section 9. Physical and chemical properties

Appearance		
Physical state	:	Liquid.
Color	:	White.
Odor	:	Characteristic.
Odor threshold	:	Not available.
рН	:	8
Melting point/freezing point	:	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	:	Closed cup: 105°C
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Upper/lower flammability or explosive limits		Greatest known range: Lower: 1.1% Upper: 14% ((2-methoxymethylethoxy) propanol)
Vapor pressure	:	Not available.
Vapor density		Highest known value: 5.1 (Air = 1) (Oxirane, 2-methyl-, polymer with oxirane, monobutyl ether). Weighted average: 3.88 (Air = 1)
Density	:	1.437 g/cm ³
Solubility(ies)	:	Easily soluble in the following materials: cold water.
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity		Kinematic (room temperature): 1.74 cm²/s Kinematic (40°C): 2.01 cm²/s

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization



Section 11. Toxicological information

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	May cause an allergic skin reaction.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, chemical and toxicological characteristics		

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>				
Potential immediate effects	:	Not available.		
Potential delayed effects	:	Not available.		
<u>Long term exposure</u>				
Potential immediate effects	:	Not available.		
Potential delayed effects	:	Not available.		
Potential chronic health eff	ect	<u>S</u>		
Not available.				
General	:	Once sensitized, a seve to very low levels.	re allergic reaction may occur when su	bsequently exposed
Carcinogenicity	:	No known significant eff	ects or critical hazards.	
Date of issue/Date of revision		: 6-10-2022	Version : 1.01	
Date of previous issue		: 30-9-2022	7/10	AkzoNobel

Section 11. Toxicological information

Mutagenicity

: No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Date of issue/Date of revision	: 6-10-2022	Version : 1.01	
Date of previous issue	: 30-9-2022	8/10	AkzoNobel

Section 14. Transport information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

National inventory	
Australia	: Not determined.
Canada	: At least one component is not listed.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

Section 16. Other information

<u>History</u>	
Date of printing	: 31 October 2022
Date of issue/ Date of revision	: 6 October 2022
Date of previous issue	: 30 September 2022
Version	: 1.01
Unique ID	:
Key to abbreviations	 ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals GOST = Gosudarstvennyy standart IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

Date of issue/Date of revision	: 6-10-2022	Version : 1.01	
Date of previous issue	: 30-9-2022	9/10	AkzoNobel

Section 16. Other information

Classification	Justification
CHEMICALS THAT CAUSE SENSITIZATION - Chemical which cause skin sensitization AQUATIC HAZARD (ACUTE) - Category 3	Calculation method Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method

Indicates information that has changed from previously issued version.

Notice to reader

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

