

## **SAFETY DATA SHEET**

FR2-55 MATT 4-8GU BASE FIRE RED AIC 28.1

## **Section 1. Identification**

Product identifier

: FR2-55 MATT 4-8GU BASE FIRE RED AIC 28.1

SDS code

: 55782801B

#### Relevant identified uses of the substance or mixture and uses advised against

	ld	entified uses	
Paint. Professional use Indust	rial use		
	Uses	advised against	
All other uses			
Product use	: Waterborne coating	for interior use.	
Supplier's details			
MAPAERO SAS			
10, Avenue de la Rijo 09103 PAMIERS Ceo France			
Emergency telephone	: +33 (0)5 34 01 34 0	1	
number (with hours of operation)	+33 (0)5 61 60 23 3		
<b>SECTION 2: Hazar</b>	ds identificati	on	
Classification of the substance or mixture	: CARCINOGENICIT	Y - Category 2	
GHS label elements			
Hazard pictograms			
o			
Signal word	: Warning	f couping concer	
Hazard statements <u>Precautionary statements</u>	: 🖌 351 - Suspected c	a causing cancer.	
Prevention	• P201 - Obtain spec	al instructions before use.	
I levendon		tive gloves, protective clothing and eye	or face protection.
Response	: 🏴 308 + P313 - IF e>	posed or concerned: Get medical advi	ce or attention.
Storage	: Not applicable.		
Disposal	: P501 - Dispose of c national and interna	ontents and container in accordance w tional regulations.	ith all local, regional,
Other hazards which do not result in classification	: None known.		
Date of issue/Date of revision	: 9-12-2022	Version : 2	
Date of previous issue	: 5-10-2022	1/10	AkzoNobel

## **SECTION 3: Composition/information on ingredients**

Substance/mixture

: Mixture

Ingredient name	%	CAS number
Manium dioxide	≤3	13463-67-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Mush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health	<u>effects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/</u>	symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate	e medical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 4: First aid measures**

Protection of first-aiders : No action sh

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### See toxicological information (Section 11)

<b>SECTION 5: Firefi</b>	SECTION 5: Firefighting measures		
<u>Extinguishing media</u> Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	: None known.		
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides		
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.		
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.		

## **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Evacuate surr entering. Do i mist. Provide	I be taken involving any personal risk or with ounding areas. Keep unnecessary and unpro- not touch or walk through spilled material. Av adequate ventilation. Wear appropriate resp Put on appropriate personal protective equipm	otected personnel from roid breathing vapor or irator when ventilation is
For emergency responders	information in	clothing is required to deal with the spillage, ta Section 8 on suitable and unsuitable materia "For non-emergency personnel".	,
Environmental precautions	drains and sev	al of spilled material and runoff and contact w wers. Inform the relevant authorities if the pro pollution (sewers, waterways, soil or air).	
Methods and materials for co	ontainment and c	leaning up	
Small spill	up if water-sol material and p	thout risk. Move containers from spill area. I uble. Alternatively, or if water-insoluble, abso lace in an appropriate waste disposal contair e disposal contractor.	orb with an inert dry
Large spill	upwind. Preve Wash spillage collect spillage vermiculite or local regulatio	thout risk. Move containers from spill area. A ent entry into sewers, water courses, baseme s into an effluent treatment plant or proceed a with non-combustible, absorbent material e. diatomaceous earth and place in container for ns (see Section 13). Dispose of via a license ontaminated absorbent material may pose the	nts or confined areas. as follows. Contain and g. sand, earth, or disposal according to d waste disposal
Date of issue/Date of revision	: 9-12-2022	Version : 2	
Date of previous issue	: 5-10-2022	3/10	AkzoNobel

## **SECTION 6: Accidental release measures**

spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## **SECTION 7: Handling and storage**

#### Precautions for safe handling

Protective measures	: Fut on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## **SECTION 8: Exposure controls/personal protection**

side-shields.

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name		Exposure limits
Manium dioxide		NOM-010-STPS-2014 (Mexico, 4/2016). Notes: as Ti TWA: 10 mg/m³ 8 hours.
Appropriate engineering controls	local exhaust ventilation or othe	t, fumes, gas, vapor or mist, use process enclosures, r engineering controls to keep worker exposure to ny recommended or statutory limits.
Environmental exposure controls	they comply with the requirement cases, fume scrubbers, filters o	ork process equipment should be checked to ensure nts of environmental protection legislation. In some r engineering modifications to the process reduce emissions to acceptable levels.
Individual protection meas	ures	
Hygiene measures		e thoroughly after handling chemical products, before avatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
 Eye/face protection

 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection:

#### Skin protection

Date of issue/Date of revision	: 9-12-2022	Version : 2	
Date of previous issue	: 5-10-2022	4/10	AkzoNobel

## **SECTION 8: Exposure controls/personal protection**

Hand protection	and an alternation of the second state of the
be wo this is check should differe	cal-resistant, impervious gloves complying with an approved standard should in at all times when handling chemical products if a risk assessment indicates necessary. Considering the parameters specified by the glove manufacturer, during use that the gloves are still retaining their protective properties. It be noted that the time to breakthrough for any glove material may be nt for different glove manufacturers. In the case of mixtures, consisting of al substances, the protection time of the gloves cannot be accurately ted.
being	nal protective equipment for the body should be selected based on the task performed and the risks involved and should be approved by a specialist handling this product.
select	priate footwear and any additional skin protection measures should be ed based on the task being performed and the risks involved and should be ved by a specialist before handling this product.
approj respira	on the hazard and potential for exposure, select a respirator that meets the priate standard or certification. Respirators must be used according to a atory protection program to ensure proper fitting, training, and other important as of use.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### Appearance

Physical state	:	Liquid.
Color	:	Red.
Odor	:	Characteristic.
Odor threshold	:	Not available.
рН	:	8 [DIN EN 1262]
Melting point/freezing point	:	Not available.
Boiling point, initial boiling point, and boiling range	:	Not available.
Flash point	:	Ølosed cup: 105°C (221°F) [Pensky-Martens]
Flammability	:	Not available.
Lower and upper explosion limit/flammability limit	:	Not available.

1

#### Vapor pressure

	Va	Vapor Pressure at 20°C			Vapor pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
ammonia, anhydrous	72.31	9.6					
octamethylcyclotetrasiloxane	0.99	0.13					
2-butoxyethanol	0.75	0.1					
Polyether modified siloxane	0.75	0.1					
decamethylcyclopentasiloxane	0.25	0.033					
aluminium hydroxide	<0.075	<0.01					
N,N'-ethylenedi(stearamide)	0.00087	0.00012					
1,1'-(ethane-1,2-diyl)bis [pentabromobenzene]	<0.00000075	<0.0000001	OECD 104				
IRGAZIN DPP ORANGE 16A	0	0	EU A.4				
propylidynetrimethanol	0	0					
29H,31H-phthalocyaninato(2-)- N29,N30,N31,N32 copper	0	0	EU A.4				
ate of issue/Date of revision	: 9-12-20	)22		Version : 2			
ate of previous issue	: 5-10-20	022		5/10		AkzoNol	

## **SECTION 9: Physical and chemical properties**

Relative vapor density Density		: <mark>M</mark> ot available. : <mark>1∕</mark> .21 g/cm³ [DIN EN ISO 2811-1]	
Solubility(ies)		:	
	Media		Result
	cold water		Soluble [OESO (TG 105)]

Partition coefficient: n-

: Not applicable.

octanol/water

2

#### Auto-ignition temperature

Ingredient name	°C	°F	Method
[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl) -3-hydroxynaphthalene-2-carboxamide	>140	>284	
2-butoxyethanol	230	446	DIN 51794
Paraffin waxes and Hydrocarbon waxes	244.85	472.7	
Ethene, homopolymer	330 to 410	626 to 770	
29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper	356	672.8	EU A.16
dodecamethylcyclohexasiloxane	368 to 371	694.4 to 699.8	
decamethylcyclopentasiloxane	372	701.6	ASTM E 659-78
N,N'-ethylenedi(stearamide)	380	716	DIN 51794
octamethylcyclotetrasiloxane	384 to 387	723.2 to 728.6	ASTM E 659
ammonia, anhydrous	651	1203.8	

#### **Decomposition temperature** : Not available.

: Kinematic (room temperature): 992 mm²/s (992 cSt) [DIN EN ISO 3219] Kinematic (40°C (104°F)): 201 mm²/s (201 cSt) [DIN EN ISO 3219]

Particle characteristics Median particle size

Viscosity

: Not applicable.

## **SECTION 10: Stability and reactivity**

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.



## **SECTION 11: Toxicological information**

#### Information on toxicological effects

Acute toxicity

Not available.

#### Irritation/Corrosion

Not available.

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### Teratogenicity

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

# Information on the likely<br/>routes of exposure: Not available.Potential acute health effects:Eye contact<br/>Inhalation: No known significant effects or critical hazards.We known significant effects or critical hazards.

- **Skin contact** : No known significant effects or critical hazards.
- Ingestion : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.



## **SECTION 11: Toxicological information**

#### Potential delayed effects : Not available. Potential chronic health effects

#### Not available.

General Carcinogenicity	<ul> <li>No known significant effects or critical hazards.</li> <li>Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.</li> </ul>
Mutagenicity Reproductive toxicity	<ul> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>

## **SECTION 12: Ecological information**

Toxicity				
Product/ingredient name	Result	Species	Exposure	
titanium dioxide	Acute EC50 19.3 mg/l Fresh water	Daphnia - Daphnia magna	48 hours	
	Acute EC50 27.8 mg/l Fresh water	Daphnia - Daphnia magna	48 hours	
	Acute EC50 35.306 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours	
	Acute LC50 3 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours	
	Acute LC50 13.4 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours	
	Acute LC50 11 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours	
	Acute LC50 3.6 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours	
	Acute LC50 15.9 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours	
	Acute LC50 6.5 mg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours	
	Acute LC50 13 mg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours	
	Acute LC50 >1000000 μg/l Marine water	Fish - Fundulus heteroclitus	96 hours	
	Acute LC50 >1000 mg/l Fresh water	Fish - Pimephales promelas	96 hours	

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

#### <u>Mobility in soil</u>

Soil/water partition : Not available. coefficient (Koc)

#### **Other adverse effects** : No known significant effects or critical hazards.



## **SECTION 13: Disposal considerations**

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

The information provided in section 14 is based on a bulk package shipment via ground transport in North America. All shippers are responsible for ensuring the proper transportation classification and package/container requirements are followed for the relevant mode of transport.

	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

**Additional information** 

IMDG

: MDG Code Segregation group Not applicable

**Special precautions for user : Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

## **SECTION 15: Regulatory information**

## **SECTION 16: Other information**

<u>History</u>	
Date of printing	: 9 December 2022
Date of issue/ Date of revision	: 9 December 2022
Date of previous issue	: 5 October 2022
Version	: 2
Unique ID	:

Date of issue/Date of revision	: 9-12-2022	Version :2	
Date of previous issue	: 5-10-2022	9/10	AkzoNobel

## **SECTION 16: Other information**

Key to abbreviations	: ATE = Acute Toxicity Estimate
-	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships,
	1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	N/A = Not available
	SGG = Segregation Group
	UN = United Nations
Procedure used to derive	the classification

#### Procedure used to derive the classification

Classification	Justification
ARCINOGENICITY - Category 2	Calculation method

#### Indicates information that has changed from previously issued version.

#### Notice to reader

#### FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

