

SAFETY DATA SHEET

FR2-55 SEMI-GLOSS BASE PIGEON BLUE AIC 5.35

: Product identifier

: SDS code

Section 1. Identification

FR2-55 SEMI-GLOSS BASE PIGEON BLUE AIC 5.35 55980535B

. £ 41 4-1-041 R

Identifie	d uses	
Waterborne paint. Professional use Industrial use		
All other uses		
Waterborne coating for interior use.	:	Product use
		Supplier's details
1 (/APAERO SAS 0, Avenue de la Rijole CS3(9103 PAMIERS Cedex Trance	0098
	:	Importer
PSRA_PAMIERS@akzonobel.com		e-mail address of person responsible for this SDS
+33 (0)5 34 01 34 01 +33 (0)5 61 60 23 30	:	Emergency telephone number
Section 2. Hazard identification		
AQUATIC HAZARD (ACUTE) - Category 3 AQUATIC HAZARD (LONG-TERM) - Category 3	:	Classification of the substance or mixture
GHS label elements		
No signal word.	:	Signal word
Harmful to aquatic life with long lasting effects.	:	Hazard statements
Precautionary statements		
Avoid release to the environment.	:	Prevention
Not applicable.	:	Response
Not applicable.	:	Storage
Dispose of contents and container in accordance with all loc and international regulations.	al, regional, national :	Disposal
None known.	:	Other hazards which do not result in classification

Section 3. Composition/information on ingredients

Mixture

: Substance/mixture

CAS number	%	Ingredient name	
7779-90-0	≤0.3	trizinc bis(orthophosphate)	
55965-84-9	<0.0015	C(M)IT/MIT(3:1)	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

<u>Description of necessary first aid measures</u>		
Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.	:	Eye contact
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	:	Inhalation
Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.	:	Skin contact
Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	:	Ingestion
Most important symptoms/effects, acute and delayed		
Potential acute health effects		
No known significant effects or critical hazards.	:	Eye contact
No known significant effects or critical hazards.	:	Inhalation
No known significant effects or critical hazards.	:	Skin contact
No known significant effects or critical hazards.	:	Ingestion
Over-exposure signs/symptoms		
No specific data.	:	Eye contact
No specific data.	:	Inhalation
No specific data.	:	Skin contact
No specific data.	:	Ingestion
Indication of immediate medical attention and special treatment needed, if nece	ess	ary

In case of inhalation of decomposition products in a fire, symptoms may be delayed. : **Notes to physician** The exposed person may need to be kept under medical surveillance for 48 hours.

Date of issue/Date of revision	: 21-10-2022	Version : 1.02	
Date of previous issue	: 5-10-2022	2/9	AkzoNobel

Section 4. First aid measures

No specific treatment.

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

: Specific treatments

: Protection of first-aiders

Section 5. Fire-fighting measures	
Extinguishing media	
Jse an extinguishing agent suitable for the surrounding fire.	: Suitable extinguishing media
None known.	: Unsuitable extinguishing media
n a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	: Specific hazards arising from the chemical
Decomposition products may include the following materials: carbon dioxide carbon monoxide hitrogen oxides halogenated compounds metal oxide/oxides	: Hazardous thermal decomposition products
Promptly isolate the scene by removing all persons from the vicinity of the incident if here is a fire. No action shall be taken involving any personal risk or without suitable training.	: Special protective actions for fire-fighters
Fire-fighters should wear appropriate protective equipment and self-contained preathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	: Special protective equipment for fire-fighters
Section 6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is nadequate. Put on appropriate personal protective equipment.	: For non-emergency personnel
f specialized clothing is required to deal with the spillage, take note of any nformation in Section 8 on suitable and unsuitable materials. See also the nformation in "For non-emergency personnel".	: For emergency responders
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.	: Environmental precautions
Methods and materials for containment and cleaning up	
Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a	: Small spill



Section 6. Accidental release measures

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

: 5-10-2022

Control parameters

Date of previous issue

Occupational exposure limits

None.

Good general ventilation should be sufficient to control worker exposure to airborne : Appropriate engineering contaminants. controls Emissions from ventilation or work process equipment should be checked to ensure : Environmental exposure they comply with the requirements of environmental protection legislation. In some controls cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Individual protection measures Wash hands, forearms and face thoroughly after handling chemical products, before : Hygiene measures eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk : Eye/face protection assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Skin protection Date of issue/Date of revision : 21-10-2022 Version : 1.02

4/9

: Large spill

: Protective measures

: Advice on general occupational hygiene

: Conditions for safe storage, including any incompatibilities

AkzoNobel

Section 8. Exposure controls/personal protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.	: Hand protection
Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	: Body protection
Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	: Other skin protection
Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a	: Respiratory protection

Section 9. Physical and chemical properties and safety characteristics

respiratory protection program to ensure proper fitting, training, and other important

Appearance

aspects of use.

Appearance	
Liquid.	: Physical state
Blue.	: Color
Characteristic.	: Odor
Not available.	: Odor threshold
8	: pH
Not available.	: Melting point/freezing point
Not available.	: Boiling point
Closed cup: 105°C (221°F)	: Flash point
Not available.	: Evaporation rate
Not available.	: Flammability
Not available.	: Lower and upper explosion limit/flammability limit
Not available.	: Vapor pressure
Highest known value: (Oxirane, 2-methyl-, polymer with oxirane, monobutyl ether).	: Relative vapor density
Not available.	: Relative density
Easily soluble in the following materials: cold water.	: Solubility
Not available.	: Partition coefficient: n- octanol/water
Not available.	: Auto-ignition temperature
Not available.	: Decomposition temperature
Kinematic (room temperature): 4.48 cm²/s (448 cSt) Kinematic (40°C (104°F)): 2.01 cm²/s (201 cSt)	: Viscosity
Not available.	: Flow time (ISO 2431)
1.295 g/cm³	: Density



Section 10. Stability and reactivity

Under normal conditions of storage and use, hazardous reactions will not occur. : Possibility of hazar reactions No specific data. : Conditions to avo : Incompatible mater No specific data. : Incompatible mater Under normal conditions of storage and use, hazardous decomposition products : Hazardous decomposition products	
No specific data. : Conditions to avo	position
reactions	erials
,	d
	rdous
The product is stable. : Chemical stability	
No specific test data related to reactivity available for this product or its ingredients. : Reactivity	

Information on toxicological effects

Acute toxicity

Exposure	Dose	Species	Result	Product/ingredient name
-	552 mg/kg	Mouse	LD50 Intraperitoneal	trizinc bis(orthophosphate)
-	551 mg/kg	Rat	LD50 Intraperitoneal	

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Not available.

Potential acute health effects

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. : Information on the likely routes of exposure

- : Eye contact
- : Inhalation
- : Skin contact

Date of issue/Date of revision	: 21-10-2022	Version : 1.02	
Date of previous issue	: 5-10-2022	6/9	AkzoNobel

Section 11. Toxicological information

No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

No specific data. No specific data. No specific data.

No specific data.

: Eye contact

: Inhalation

: Ingestion

- : Skin contact
- : Ingestion

<u>Delayed and immediate effects and also chronic effects from short and long term exposure</u> <u>Short term exposure</u>

Not available.

Not available. Long term exposure Not available.

Not available. <u>Potential chronic health effects</u> Not available.

No known significant effects or critical hazards. : Potential immediate effects

- : Potential delayed effects
- : Potential immediate effects
- : Potential delayed effects
- : General
- : Carcinogenicity
- : Mutagenicity
- : Reproductive toxicity

Section 12. Ecological information

loxicity			
Exposure	Species	Result	Product/ingredient name
96 hours	Fish - Oncorhynchus mykiss	Acute LC50 90 μg/l Fresh water	trizinc bis(orthophosphate)

Persistence and degradability

Not available.

Bioaccumulative potential

Potential	BCF	LogPow	Product/ingredient name
high	60960	-	trizinc bis(orthophosphate)

Mobility in soil

Not available.

No known significant effects or critical hazards.

- : Soil/water partition coefficient (Koc)
- : Other adverse effects

Date of issue/Date of revision	: 21-10-2022	Version : 1.02	
Date of previous issue	: 5-10-2022	7/9	AkzoNobel

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. : Disposal methods

Section 14. Transport information

ΙΑΤΑ	IMDG	UN	
Not regulated.	Not regulated.	Not regulated.	UN number
-	-	-	UN proper shipping name
-	-	-	Transport hazard class(es)
-	-	-	Packing group
No.	No.	No.	Environmental hazards

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

: Special precautions for user

: Transport in bulk according

to IMO instruments

Not available.

Section 15. Regulatory information

Inventory list				
Not determined.		: Au	stralia	
At least one component is not	listed.	: Ca	nada	
Not determined.		: Ch	ina	
Not determined.		: Eu	rope	
Japan inventory (ENCS): No Japan inventory (ISHL): Not		: Jaj	ban	
Not determined.		: Ne	w Zealand	
Not determined. Not determined. Not determined.		: Ph	: Philippines	
		: Republic of Korea : Taiwan		
				Not determined.
Not determined.		: Tu	rkey	
Not determined.		: Un	ited States	
Not determined.		: Vie	et Nam	
Date of issue/Date of revision	: 21-10-2022	Version : 1.02		
Date of previous issue	: 5-10-2022	8/9	AkzoNobel	

Section 16. Other information

<u>History</u>

31 October 2022 21 October 2022

5 October 2022

1.02

- : Date of printing
- : Date of issue/Date of revision
- : Date of previous issue
- : Version
- : Unique ID
- : Key to abbreviations

ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations Procedure used to derive the classification

Justification	Classification
	AQUATIC HAZARD (ACUTE) - Category 3
Calculation method	AQUATIC HAZARD (LONG-TERM) - Category 3

Indicates information that has changed from previously issued version.

Notice to reader

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

