

# **SAFETY DATA SHEET**

FR6-55 SEMI-GLOSS BASE GREY CLOUD AIC 2.8

#### Safety Data Sheet according to GB/T 16483-2008 and GB/T 17519-2013

#### **Section 1. Identification** GHS product identifier : FR6-55 SEMI-GLOSS BASE GREY CLOUD AIC 2.8 SDS code : 66980208B Relevant identified uses of the substance or mixture and uses advised against Identified uses Paint. Professional use Industrial use Uses advised against All other uses Product use : Waterborne coating for interior use. Supplier's details MAPAERO SAS 10, Avenue de la Rijole CS30098 09103 PAMIERS Cedex France e-mail address : PSRA\_PAMIERS@akzonobel.com Emergency telephone : +33 (0)5 34 01 34 01 +33 (0)5 61 60 23 30 number (with hours of operation)

## Section 2. Hazards identification

Classification of the substance or mixture according to GB 13690-2009 and GB 30000-2013

Emergency overview	
Liquid.	
Gray.	
Characteristic.	
May cause an allergic skin Harmful to aquatic life. Harmful to aquatic life with	
If skin irritation or rash occ	urs: Get medical advice or attention.
See Section 12 for enviro	onmental precautions.
Classification of the substance or mixture	: SKIN SENSITIZATION - Category 1 AQUATIC HAZARD (ACUTE) - Category 3

	•	
AQUATIC HAZARD		Catagory 3
AQUATICHAZAND	(LONG-	- Calegory 5

#### GHS label elements

Date of issue/Date of revision	: 9-12-2022	Version : 1.02	
Date of previous issue	: 19-10-2022	1/12	AkzoNobel

## Section 2. Hazards identification

Hazard pictograms		
Signal word	: Warning	
Hazard statements	<ul> <li>H317 - May cause an allergic skin reaction.</li> <li>H402 - Harmful to aquatic life.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> </ul>	
Precautionary statements		
Prevention	: P280 - Wear protective gloves. P273 - Avoid release to the environment. P261 - Avoid breathing vapor.	
Response	<ul> <li>P362 + P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P302 + P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.</li> </ul>	
Storage	: Not applicable.	
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.	
Physical and chemical hazards	: No known significant effects or critical hazards.	
Health hazards	: May cause an allergic skin reaction.	
Environmental hazards	: Harmful to aquatic life. Harmful to aquatic life with long lasting effects.	
Other hazards which do not	: None known.	

result in classification

## Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

Ingredient name	%	CAS number
propylidynetrimethanol	≤0.3	77-99-6
C(M)IT/MIT(3:1)	<0.025	55965-84-9

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



## Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : May cause an allergic skin reaction. Ingestion : No known significant effects or critical hazards. **Over-exposure signs/symptoms** Eye contact : No specific data. Inhalation : No specific data. Skin contact : Adverse symptoms may include the following: irritation redness Ingestion : No specific data. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. : No specific treatment. Specific treatments

Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	gioves.

#### See toxicological information (Section 11)

Date of issue/Date of revision	: 9-12-2022	Version : 1.02	
Date of previous issue	: 19-10-2022	3/12	AkzoNobel

## Section 5. Fire-fighting measures

	—
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for co	nt	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Date of issue/Date of revision	: 9-12-2022	Version : 1.02	
Date of previous issue	: 19-10-2022	4/12	AkzoNobel

## Section 7. Handling and storage

Precautions for safe handling	L	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Section 8. Exposur	re	controls/personal protection

## Control parameters

Occupational exposure lim	<u>its</u>			
None.				
Appropriate engineering controls		ood general ventilation ntaminants.	should be sufficient to control we	orker exposure to airborne
Environmental exposure controls	th ca	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection measu	res			
Hygiene measures	ea Ap Co co	ting, smoking and usin ppropriate techniques s pntaminated work cloth	nd face thoroughly after handling g the lavatory and at the end of the hould be used to remove potent ing should not be allowed out of fore reusing. Ensure that eyewa workstation location.	the working period. ially contaminated clothing. the workplace. Wash
Eye/face protection	as ga un	sessment indicates this ises or dusts. If contact	g with an approved standard sho s is necessary to avoid exposure t is possible, the following protec dicates a higher degree of prote	e to liquid splashes, mists, ction should be worn,
Skin protection				
Hand protection	be thi ch sh dif se	worn at all times when s is necessary. Consic eck during use that the ould be noted that the ferent for different glov	rvious gloves complying with an handling chemical products if a lering the parameters specified l gloves are still retaining their pr time to breakthrough for any glo e manufacturers. In the case of protection time of the gloves can	risk assessment indicates by the glove manufacturer, rotective properties. It ve material may be mixtures, consisting of
Date of issue/Date of revision	::	9-12-2022	Version : 1.02	
Date of previous issue	:	19-10-2022	5/12	AkzoNobel

## Section 8. Exposure controls/personal protection

	· · ·
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Os stiers O. Dhussis	al and abando al una nantica, and a afatri

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### Appearance

Physical state	: Liquid.
Color	: Gray.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	: 👂 [DIN EN 1262]
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point	: 🖉losed cup: 105°C (221°F) [Pensky-Martens]
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not available.

ŝ

2

#### Vapor pressure

Solubility(ies)

	Va	por Pressu	re at 20°C	N	/apor pres	sure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
ammonia, anhydrous	72.31	9.6				
octamethylcyclotetrasiloxane	0.99	0.13				
2-butoxyethanol	0.75	0.1				
Polyether modified siloxane	0.75	0.1				
2-aminobutan-1-ol	0.44	0.059	EU A.4			
decamethylcyclopentasiloxane	0.25	0.033				
aluminium hydroxide	<0.075	<0.01				
2-amino-2-ethylpropanediol	0.0022	0.00029				
N,N'-ethylenedi(stearamide)	0.00087	0.00012				
1,1'-(ethane-1,2-diyl)bis [pentabromobenzene]	<0.00000075	<0.0000001	OECD 104			
propylidynetrimethanol	0	0				
polychloro copper phthalocyanine	0	0				
elative vapor density	: Not avai	lable.				
ensity	: <mark>1</mark> .454 g/	cm³ [DIN EN	ISO 2811-1]			

## Section 9. Physical and chemical properties and safety characteristics

Media		Result
cold water	-	Soluble [OESO (TG 105)]

#### Partition coefficient: n-: Not applicable.

#### octanol/water

#### Auto-ignition temperature

Ingredient name	°C	°F	Method	
₽-butoxyethanol	230	446	DIN 51794	
Paraffin waxes and Hydrocarbon waxes	244.85	472.7		
1-propoxypropan-2-ol	252	485.6	EU A.15	
Ethene, homopolymer	330 to 410	626 to 770		
dodecamethylcyclohexasiloxane	368 to 371	694.4 to 699.8		
decamethylcyclopentasiloxane	372	701.6	ASTM E 659-78	
polychloro copper phthalocyanine	378	712.4	EU A.16	
N,N'-ethylenedi(stearamide)	380	716	DIN 51794	
octamethylcyclotetrasiloxane	384 to 387	723.2 to 728.6	ASTM E 659	
ammonia, anhydrous	651	1203.8		

Decomposition temperature	: Not available.	
Viscosity	: Kinematic (room temperature): 757 mm²/s (757 cSt) [DIN EN ISO 32 <sup>-</sup> Kinematic (40°C (104°F)): 201 mm²/s (201 cSt) [DIN EN ISO 3219]	19]

#### **Particle characteristics** Median particle size

: Not applicable.

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition	: Under normal conditions of storage and use, hazardous decomposition products

### products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
propylidynetrimethanol	LD50 Oral	Mouse	13700 mg/kg	-
	LD50 Oral LD50 Oral	Mouse Rat	14000 mg/kg 14100 mg/kg	-
	LD50 Oral	Rat	14000 mg/kg	-

#### Irritation/Corrosion

Date of issue/Date of revision	: 9-12-2022	Version : 1.02	
Date of previous issue	: 19-10-2022	7/12	AkzoNobel

## Section 11. Toxicological information

#### Not available.

Sensitization

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	May cause an allergic skin reaction.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical sector of th	sic	al, chemical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
-	ts	and also chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.

Not available.

Potential chronic health effects

Potential delayed effects : Not available.



## Section 11. Toxicological information

	-
General	<ul> <li>Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.</li> </ul>
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

## Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
	Acute EC50 13000000 μg/l Fresh water Acute LC50 14400000 μg/l Marine water	Daphnia - Daphnia magna Fish - Cyprinodon variegatus	48 hours 96 hours

#### Persistence/degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
propylidynetrimethanol	-0.47	<1	low

#### Mobility in soil

•	
Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and
	liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information



## **Section 14. Transport information**

			China	IMDG		ΙΑΤΑ
UN number	Not regulated.		ed.	Not regulated.		Not regulated.
UN proper shipping name	-			-		-
Transport hazard class(es)	-			-		-
Packing group	-			-		-
Environmental hazards	No.			No.		No.
Additional information						
IMDG		:	MDG Code Segre	g <u>ation group</u> Not applicat	ble	
Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.						
Extinguishing media	<u>1</u>					
Suitable extinguish media	ning	: Use an extinguishing agent suitable for the surrounding fire.				
Unsuitable extingu media	ishing	:	None known.			
Incompatible materia	als	:	No specific data.			
Transport in bulk ac to IMO instruments	cording	:	Not available.			

## Section 15. Regulatory information

#### China inventory (IECSC) : Not determined.

List of Goods banned for Importing

None of the components are listed.

#### Drug Precursors Requiring an Import/Export License

None of the components are listed.

#### List of Explosive Precursors

None of the components are listed.

#### List of Goods banned for Exporting

None of the components are listed.

#### List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

#### Catalogue and classification of drug precursor chemicals

None of the components are listed.

#### **Inventory of Highly Toxic Articles**

None of the components are listed.

#### **Catalogue of Hazardous Chemicals of Priority Management**

Date of issue/Date of revision	: 9-12-2022	Version : 1.02	
Date of previous issue	: 19-10-2022	10/12	AkzoNobel

## Section 15. Regulatory information

ammonia, anhydrous

#### Catalogue of Occupational Disease Hazard Factors - Dust

Ingredient name	Status
titanium dioxide	Listed
Talc , not containing asbestiform fibres	Listed

#### **Catalogue of Occupational Disease Hazard Factors - Chemical Factors**

None of the components are listed.

## Section 16. Other information

Product code	: 577813
<u>History</u>	
Date of printing	: 9 December 2022
Date of issue/ Date of revision	: 19 October 2022
Date of previous issue	: 19 October 2022
Version	: 1.02
Unique ID	:
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations</li> </ul>

#### Procedure used to derive the classification

Classification	Justification
SKIN SENSITIZATION - Category 1	Calculation method
AQUATIC HAZARD (ACUTE) - Category 3	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method

#### Indicates information that has changed from previously issued version.

#### Notice to reader

### FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

Date of issue/Date of revision	: 9-12-2022	Version : 1.02	
Date of previous issue	: 19-10-2022	11/12	AkzoNobel

Listed

Section 16. Other information

