

# SAFETY DATA SHEET

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Product name SDS code

: FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

: 55980338B

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|   | Identified uses                        |  |
|---|--|--|
| Waterborne paint. P                                 | ofessional use Industrial use          |  |
| Industrial applications, Professional applications. |  |  |
| Product use   | : Waterborne coating for interior use. |  |

: Waterborne coating for interior use.

### 1.3 Details of the supplier of the safety data sheet

| • •  |                              |  |  |
|--|------------------------------|--|--|
| MAPAERO SAS  |                              |  |  |
| 10, Avenue de la Rijole CS30098                      |                              |  |  |
| 09103 PAMIERS Ce                                     | dex                          |  |  |
| France   |                              |  |  |
| e-mail address of person<br>responsible for this SDS | : PSRA_PAMIERS@akzonobel.com |  |  |
| Original preparation date                            | : 9/30/2022                  |  |  |
|  |                              |  |  |

### 1.4 Emergency telephone number

### National advisory body/Poison Center

| Telephone number   | : Zehir Danışma Merkezi-UZEM-Ankara- : 114     |
|--------------------|--|
| <u>Supplier</u>    |  |
| Telephone number   | : +33 (0)5 34 01 34 01<br>+33 (0)5 61 60 23 30 |
| Hours of operation | :  |

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to regulation SEA: RG.-11/12/2013-28848

Skin Sens. 1, H317

The product is classified as hazardous according to Regulation SEA: RG.-11/12/2013-28848.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

| FR2-55 SEMI-GLOSS BASE DARK PC                                | אנ | ELAIN AIC 3.30   |
|---|----|--|
| <b>SECTION 2: Hazards</b>                                     | ic | lentification  |
| Hazard pictograms   | :  |  |
| Signal word   | :  | Warning  |
| Hazard statements   | :  | May cause an allergic skin reaction.   |
| Precautionary statements                                      |    |  |
| Prevention  | :  | Wear protective gloves. Avoid breathing vapor.   |
| Response  | :  | Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water.<br>If skin irritation or rash occurs: Get medical advice or attention. |
| Storage   | :  | Not applicable.  |
| Disposal  | :  | Dispose of contents and container in accordance with all local, regional, national and international regulations.                                      |
| Hazardous ingredients   | :  | C(M)IT/MIT(3:1)  |
| Supplemental label<br>elements                                | :  | Not applicable.  |
| Special packaging requirem                                    | en | <u>ts</u>  |
| Containers to be fitted<br>with child-resistant<br>fastenings | :  | Not applicable.  |
| Tactile warning of danger                                     | :  | Not applicable.  |
| 2.3 Other hazards   |    |  |
| Product meets the criteria for PBT or vPvB                    | :  | This mixture does not contain any substances that are assessed to be a PBT or a vPvB.  |
| Other hazards which do  | :  | None known.  |

not result in classification

### **SECTION 3: Composition/information on ingredients**

| Product/ingredient name | Identifiers                            | %       | SEA: RG.<br>-11/12/2013-28848   | Туре |
|-------------------------|--|---------|---|------|
| C(M)IT/MIT(3:1)         | CAS: 55965-84-9<br>Index: 613-167-00-5 | <0.0025 | Acute Tox. 3, H301<br>Acute Tox. 2, H310<br>Acute Tox. 2, H310<br>Acute Tox. 2, H330<br>Skin Corr. 1C, H314<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400<br>(M=100)<br>Aquatic Chronic 1,<br>H410 (M=100)<br>EUH071<br>See Section 16 for<br>the full text of the H<br>statements declared | [1]  |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

### **SECTION 3: Composition/information on ingredients**

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT

[4] Substance meets the criteria for vPvB

[5] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Skin contact : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air Ingestion and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

|                                | · · · · · · · · · · · · · · · · · · ·                                  |  |  |
|--------------------------------|--|--|--|
| Potential acute health effects | <u>8</u>   |  |  |
| Eye contact                    | : No known significant effects or critical hazards.                    |  |  |
| Inhalation                     | : No known significant effects or critical hazards.                    |  |  |
| Skin contact                   | : May cause an allergic skin reaction.                                 |  |  |
| Ingestion                      | : No known significant effects or critical hazards.                    |  |  |
| Over-exposure signs/symptoms   |  |  |  |
| Eye contact                    | : No specific data.  |  |  |
| Inhalation                     | : No specific data.  |  |  |
| Skin contact                   | : Adverse symptoms may include the following:<br>irritation<br>redness |  |  |
| Ingestion                      | : No specific data.  |  |  |

### 4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician                        | : Treat symptomatically. Contact poison treatment specialist immediately if large |  |
|---|---|--|
| quantities have been ingested or inhaled. |   |  |

3/11

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

| FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38             |   |                |
|--|---|----------------|
| <b>SECTION 4: First aid</b>                                | sures   |                |
| Specific treatments  | specific treatment.   |                |
| SECTION 5: Firefight                                       | neasures  |                |
| 5.1 Extinguishing media<br>Suitable extinguishing<br>media | an extinguishing agent suitable for the surrounding fire.   |                |
| Unsuitable extinguishing media                             | ne known.   |                |
| 5.2 Special hazards arising fi                             | substance or mixture  |                |
| Hazards from the substance or mixture                      | fire or if heated, a pressure increase will occur and the container may l   | burst.         |
| Hazardous thermal decomposition products                   | composition products may include the following materials:<br>oon dioxide<br>oon monoxide<br>ogenated compounds<br>al oxide/oxides   |                |
| 5.3 Advice for firefighters                                |   |                |
| Special protective actions for fire-fighters               | mptly isolate the scene by removing all persons from the vicinity of the i<br>e is a fire. No action shall be taken involving any personal risk or witho<br>able training.  |                |
| Special protective<br>equipment for fire-fighters          | -fighters should wear appropriate protective equipment and self-contair<br>athing apparatus (SCBA) with a full face-piece operated in positive pres<br>de. Clothing for fire-fighters (including helmets, protective boots and glo<br>forming to European standard EN 469 will provide a basic level of prote<br>mical incidents. | ssure<br>oves) |
| SECTION 6: Acciden   | lease measures  |                |

## **SECTION 6: Accidental release measures**

| 6.1 Personal precautions, pro  | tective equipment and emergency procedures  |
|--------------------------------|---|
| For non-emergency<br>personnel | : No action shall be taken involving any personal risk or without suitable training.<br>Evacuate surrounding areas. Keep unnecessary and unprotected personnel from<br>entering. Do not touch or walk through spilled material. Avoid breathing vapor or<br>mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is<br>inadequate. Put on appropriate personal protective equipment.  |
| For emergency responders       | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| 6.2 Environmental precautions  | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| 6.3 Methods and materials for  | r containment and cleaning up   |
| Small spill                    | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop<br>up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry<br>material and place in an appropriate waste disposal container. Dispose of via a<br>licensed waste disposal contractor.  |
| Large spill                    | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. |

Date of revision

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

### SECTION 6: Accidental release measures

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

| Protective measures                    | : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

| Recommendations            | : Not available. |
|----------------------------|------------------|
| Industrial sector specific | : Not available. |
| solutions                  |                  |

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### **Occupational exposure limits**

No exposure limit value known.

| Recommended monitoring<br>procedures | : If this product contains ingredients with exposure limits, personal, workplace<br>atmosphere or biological monitoring may be required to determine the effectiveness<br>of the ventilation or other control measures and/or the necessity to use respiratory<br>protective equipment. Reference should be made to monitoring standards, such as<br>the following: European Standard EN 689 (Workplace atmospheres - Guidance for<br>the assessment of exposure by inhalation to chemical agents for comparison with<br>limit values and measurement strategy) European Standard EN 14042 (Workplace<br>atmospheres - Guide for the application and use of procedures for the assessment<br>of exposure to chemical and biological agents) European Standard EN 482<br>(Workplace atmospheres - General requirements for the performance of procedures<br>for the measurement of chemical agents) Reference to national guidance<br>documents for methods for the determination of hazardous substances will also be<br>required. |
|--------------------------------------|--|
|                                      |  |

#### 8.2 Exposure controls

| Appropriate engineering | : Good general ventilation should be sufficient to control worker exposure to airborne |
|-------------------------|--|
| controls                | contaminants.  |

Individual protection measures

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

| SECTION 8: Exposure controls/personal protection |   |   |
|--|---|---|
| Hygiene measures                                 | : | Wash hands, forearms and face thoroughly after handling chemical products,<br>before eating, smoking and using the lavatory and at the end of the working period.<br>Appropriate techniques should be used to remove potentially contaminated clothing.<br>Contaminated work clothing should not be allowed out of the workplace. Wash<br>contaminated clothing before reusing. Ensure that eyewash stations and safety<br>showers are close to the workstation location.   |
| Eye/face protection                              | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.   |
| Skin protection                                  |   |   |
| Hand protection                                  | : | Chemical-resistant, impervious gloves complying with an approved standard should<br>be worn at all times when handling chemical products if a risk assessment indicates<br>this is necessary. Considering the parameters specified by the glove manufacturer,<br>check during use that the gloves are still retaining their protective properties. It<br>should be noted that the time to breakthrough for any glove material may be<br>different for different glove manufacturers. In the case of mixtures, consisting of<br>several substances, the protection time of the gloves cannot be accurately<br>estimated. |
| Body protection                                  | : | Personal protective equipment for the body should be selected based on the task<br>being performed and the risks involved and should be approved by a specialist<br>before handling this product.   |
| Other skin protection                            | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.   |
| Respiratory protection                           | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.  |
| Environmental exposure controls                  | : | Emissions from ventilation or work process equipment should be checked to<br>ensure they comply with the requirements of environmental protection legislation.<br>In some cases, fume scrubbers, filters or engineering modifications to the process<br>equipment will be necessary to reduce emissions to acceptable levels.   |

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

| <u>Appearance</u>                               |   |
|---|---|
| Physical state                                  | : Liquid.   |
| Color   | : Gray.   |
| Odor  | : Characteristic.   |
| Odor threshold                                  | : Not available.  |
| рН  | : 8   |
| Melting point/freezing point                    | : Not available.  |
| Initial boiling point and<br>boiling range      | : Not available.  |
| Flash point                                     | : Closed cup: 105°C   |
| Evaporation rate                                | : Not available.  |
| Flammability (solid, gas)                       | : Not available.  |
| Upper/lower flammability or<br>explosive limits | : Not available.  |
| Vapor pressure                                  | : Not available.  |
| Vapor density                                   | : Highest known value: (Oxirane, 2-methyl-, polymer with oxirane, monobutyl ether). |
| Density   | : 1.447 g/cm <sup>3</sup>   |
| Date of revision                                | : 6-10-2022 Original preparation date : 30-9-2022 Version : 1.02 6/11               |

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

| SECTION 9: Physical and chemical properties     |  |  |
|---|--|--|
| Solubility(ies)                                 | : Easily soluble in the following materials: cold water.   |  |
| Upper/lower flammability or<br>explosive limits | : Not available.   |  |
| Auto-ignition temperature                       | : Not available.   |  |
| Decomposition temperature                       | : Not available.   |  |
| Viscosity                                       | : Kinematic (room temperature): 4.01 cm <sup>2</sup> /s<br>Kinematic (40°C): 2.01 cm <sup>2</sup> /s |  |

| SECTION 10: Stability and reactivity       |  |
|--|--|
| 10.1 Reactivity                            | : No specific test data related to reactivity available for this product or its ingredients.           |
| 10.2 Chemical stability                    | : The product is stable.   |
| 10.3 Possibility of<br>hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur.                      |
| 10.4 Conditions to avoid                   | : No specific data.  |
| 10.5 Incompatible materials                | : No specific data.  |
| 10.6 Hazardous<br>decomposition products   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

### **SECTION 11: Toxicological information**

| 11.1 Information on toxicolo | ogical effects               |
|------------------------------|------------------------------|
| Acute toxicity               |                              |
| <b>Conclusion/Summary</b>    | : Not available.             |
| Irritation/Corrosion         |                              |
| <b>Conclusion/Summary</b>    | : Not available.             |
| Sensitization                |                              |
| <b>Conclusion/Summary</b>    | : Not available.             |
| <u>Mutagenicity</u>          |                              |
| <b>Conclusion/Summary</b>    | : Not available.             |
| <b>Carcinogenicity</b>       |                              |
| <b>Conclusion/Summary</b>    | : Not available.             |
| Reproductive toxicity        |                              |
| <b>Conclusion/Summary</b>    | : Not available.             |
| <b>Teratogenicity</b>        |                              |
| <b>Conclusion/Summary</b>    | : Not available.             |
| Specific target organ toxic  | <u>ity (single exposure)</u> |
| Not available.               |                              |
|                              |                              |

### Specific target organ toxicity (repeated exposure) Not available.

### **Aspiration hazard**

Not available.

#### Information on the likely : Not available. routes of exposure

Date of revision

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

## **SECTION 11: Toxicological information**

|                                | 0   |
|--------------------------------|---|
| Potential acute health effects | 2   |
| Eye contact                    | : No known significant effects or critical hazards.   |
| Inhalation                     | : No known significant effects or critical hazards.   |
| Skin contact                   | : May cause an allergic skin reaction.  |
| Ingestion                      | : No known significant effects or critical hazards.   |
| Symptoms related to the phy    | vsical, chemical and toxicological characteristics  |
| Eye contact                    | : No specific data.   |
| Inhalation                     | : No specific data.   |
| Skin contact                   | : Adverse symptoms may include the following:<br>irritation<br>redness                                |
| Ingestion                      | : No specific data.   |
|                                | ts and also chronic effects from short and long term exposure   |
| <u>Short term exposure</u>     |   |
| Potential immediate<br>effects | : Not available.  |
| Potential delayed effects      | : Not available.  |
| Long term exposure             |   |
| Potential immediate<br>effects | : Not available.  |
| Potential delayed effects      | : Not available.  |
| Potential chronic health eff   | <u>ects</u>   |
| Not available.                 |   |
| Conclusion/Summary             | : Not available.  |
| General                        | : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity                | : No known significant effects or critical hazards.   |
| Mutagenicity                   | : No known significant effects or critical hazards.   |
| Reproductive toxicity          | : No known significant effects or critical hazards.   |
| Other information              | : Not available.  |
| <b>SECTION 12: Ecolog</b>      | ical information  |
| 12.1 Toxicity                  |   |
| •                              |   |

#### **Conclusion/Summary** : Not available. 12.2 Persistence and degradability **Conclusion/Summary** : Not available. 12.3 Bioaccumulative potential Not available. 12.4 Mobility in soil Soil/water partition : Not available. coefficient (Koc) Mobility : Not available. Date of revision : 6-10-2022 : 30-9-2022 Version : 1.02 Original preparation date

8/11

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

### SECTION 12: Ecological information

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Other adverse effects : No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

For further information, contact your local waste authority.

#### 13.1 Waste treatment methods

Product

Methods of Disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

### **SECTION 14: Transport information**

|                                    | •              |                |                |
|------------------------------------|----------------|----------------|----------------|
|                                    | ADR/RID        | IMDG           | ΙΑΤΑ           |
| 14.1 UN number                     | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name       | -              | -              | -              |
| 14.3 Transport<br>hazard class(es) | -              | -              | -              |
| 14.4 Packing<br>group              | -              | -              | -              |
| 14.5<br>Environmental<br>hazards   | No.            | No.            | No.            |

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are user upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

Date of revision

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>30105 sayılı, Kimyasalların Kaydı, Değerlendirilmesi, İzni ve Kısıtlanması Hakkında Yönetmelik.</u> 28733 sayılı, Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik. 28730 sayılı, Kanserojen ve Mutajen Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik. 6331 sayılı, İş Sağlığı ve Güvenliği Kanunu.

29314 sayılı, Atık Yönetimi Yönetmeliği.

#### Seveso Directive

This product is not controlled under the Seveso Directive.

#### Regulation 30105 KKDIK

#### Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

KKDIK, Annex XVII -Restrictions on the Manufacture, Place on the Market and Use of Certain Hazardous Substances, Mixtures and Articles

#### Ozone depleting substances (1005/2009/EU)

Not listed.

#### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Australia Canada

China Europe

Japan

**United States** 

Viet Nam

#### National inventory

| : | Japan inventory (ENCS): Not deter     |
|---|---------------------------------------|
| : | Not determined.                       |
| : | Not determined.                       |
| : | At least one component is not listed. |
| : | Not determined.                       |

: Not applicable.

: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.

| New Zealand       | : Not determined. |
|-------------------|-------------------|
| Philippines       | : Not determined. |
| Republic of Korea | : Not determined. |
| Taiwan            | : Not determined. |
| Thailand          | : Not determined. |
| Turkey            | : Not determined. |

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

: Not determined.

: Not determined.

| Abbreviations and | : ATE = Acute Toxicity Estimate                 |
|-------------------|---|
| acronyms          | EUH statement = SEA-specific Hazard statement   |
|                   | N/A = Not available                             |
|                   | PBT = Persistent, Bioaccumulative and Toxic     |
|                   | PNEC = Predicted No Effect Concentration        |
|                   | SGG = Segregation Group                         |
|                   | vPvB = Very Persistent and Very Bioaccumulative |
|                   |   |

FR2-55 SEMI-GLOSS BASE DARK PORCELAIN AIC 3.38

### **SECTION 16: Other information**

Procedure used to derive the classification according to regulation SEA: RG.-11/12/2013-28848

| Classification     | Justification      |
|--------------------|--------------------|
| Skin Sens. 1, H317 | Calculation method |

### Full text of abbreviated H statements

| H301   | Toxic if swallowed.                                   |
|--------|---|
| H310   | Fatal in contact with skin.                           |
| H314   | Causes severe skin burns and eye damage.              |
| H317   | May cause an allergic skin reaction.                  |
| H330   | Fatal if inhaled.                                     |
| H400   | Very toxic to aquatic life.                           |
| H410   | Very toxic to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract.                   |

#### Full text of classifications [CLP/GHS]

| Date of printing  | : 31 October 2022                       |
|-------------------|---|
| Skin Sens. 1A     | SKIN SENSITIZATION - Category 1A        |
| Skin Sens. 1      | SKIN SENSITIZATION - Category 1         |
| Skin Corr. 1C     | SKIN CORROSION/IRRITATION - Category 1C |
| Aquatic Chronic 1 | AQUATIC HAZARD (LONG-TERM) - Category 1 |
| Aquatic Acute 1   | AQUATIC HAZARD (ACUTE) - Category 1     |
| Acute Tox. 3      | ACUTE TOXICITY - Category 3             |
| Acute Tox. 2      | ACUTE TOXICITY - Category 2             |

| Date of issue/ Date of revision | : 6 October 2022 |
|---------------------------------|------------------|
| Date of previous issue          | : 3 October 2022 |
| Version                         | : 1.02           |
| Unique ID                       | :                |

### Contact information of certified author

Notice to reader

### FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.