

# **SAFETY DATA SHEET**

FR2-55 SEMI-GLOSS BASE GREY 7031

# **Section 1. Identification**

#### Product identifier SDS code

: FR2-55 SEMI-GLOSS BASE GREY 7031 : 55927031B

#### Relevant identified uses of the substance or mixture and uses advised against

	Identifie	ed uses	
Waterborne paint. Professiona	al use Industrial use		
	Uses advis	ed against	
All other uses			
Product use	: Waterborne coating for in	terior use.	
Supplier's details			
MAPAERO SAS 10, Avenue de la Rijo 09103 PAMIERS Cec France			
Emergency telephone number (with hours of operation)	: +33 (0)5 34 01 34 01 +33 (0)5 61 60 23 30		
SECTION 2: Hazar	ds identification		
Classification of the substance or mixture	: CARCINOGENICITY - Ca	itegory 2	
<u>GHS label elements</u> Hazard pictograms	:		
Hazard pictograms	: Varning		
	: ✓ : Warning : H351 - Suspected of caus	ing cancer.	
Hazard pictograms	: ✓ : Warning : M351 - Suspected of cause	ing cancer.	
Hazard pictograms Signal word Hazard statements	: ₱351 - Suspected of caus : ₱201 - Obtain special inst		ye or face protection.
Hazard pictograms Signal word Hazard statements <u>Precautionary statements</u>	<ul> <li>F351 - Suspected of caus</li> <li>F201 - Obtain special inst P280 - Wear protective gl</li> </ul>	ructions before use.	
Hazard pictograms Signal word Hazard statements <u>Precautionary statements</u> Prevention	<ul> <li>F351 - Suspected of caus</li> <li>F201 - Obtain special inst P280 - Wear protective gl</li> </ul>	ructions before use. oves, protective clothing and e	
Hazard pictograms Signal word Hazard statements <u>Precautionary statements</u> Prevention Response	<ul> <li>F351 - Suspected of caus</li> <li>F201 - Obtain special inst P280 - Wear protective gl</li> <li>F308 + P313 - IF exposed</li> <li>Not applicable.</li> </ul>	ructions before use. oves, protective clothing and e d or concerned: Get medical ac ts and container in accordance	lvice or attention.
Hazard pictograms Signal word Hazard statements <u>Precautionary statements</u> Prevention Response Storage Disposal	<ul> <li>F351 - Suspected of caus</li> <li>F201 - Obtain special inst P280 - Wear protective gl</li> <li>F308 + P313 - IF exposed</li> <li>Not applicable.</li> <li>P501 - Dispose of content</li> </ul>	ructions before use. oves, protective clothing and e d or concerned: Get medical ac ts and container in accordance	lvice or attention.
Signal word Hazard statements <u>Precautionary statements</u> Prevention Response Storage	<ul> <li>F351 - Suspected of caus</li> <li>F201 - Obtain special inst P280 - Wear protective gl</li> <li>F308 + P313 - IF exposed</li> <li>Not applicable.</li> <li>P501 - Dispose of content national and international</li> </ul>	ructions before use. oves, protective clothing and e d or concerned: Get medical ac ts and container in accordance	lvice or attention.

# **SECTION 3: Composition/information on ingredients**

Substance/mixture

: Mixture

Ingredient name	%	CAS number
Manium dioxide	≥10 - ≤25	13463-67-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	Fush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Mash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

moor important of inpromore	<u>////00</u>	to, douto una dolajoa		
Potential acute health effect	<u>cts</u>			
Eye contact	:	No known significant e	effects or critical hazards.	
Inhalation	:	No known significant e	effects or critical hazards.	
Skin contact	:	No known significant e	effects or critical hazards.	
Ingestion	:	No known significant e	effects or critical hazards.	
<u>Over-exposure signs/symp</u>	otom	<u>15</u>		
Eye contact	:	No specific data.		
Inhalation	:	No specific data.		
Skin contact	:	No specific data.		
Ingestion	:	No specific data.		
Indication of immediate med	dica	I attention and specia	I treatment needed, if necessary	
Notes to physician	:	Treat symptomatically. quantities have been in	. Contact poison treatment specialis ngested or inhaled.	t immediately if large
Specific treatments	:	No specific treatment.		
Protection of first-aiders	:		en involving any personal risk or with the person providing aid to give mout	5
Date of issue/Date of revision		: 31-10-2022	Version : 2	
Date of previous issue		: 5-10-2022	2/9	AkzoNobel

## **SECTION 4: First aid measures**

#### See toxicological information (Section 11)

# **SECTION 5: Firefighting measures**

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

# **SECTION 6: Accidental release measures**

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Date of issue/Date of revision	: 31-10-2022	Version : 2	
Date of previous issue	: 5-10-2022	3/9	AkzoNobe

# **SECTION 7: Handling and storage**

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Manium dioxide	NOM-010-STPS-2014 (Mexico, 4/2016). Notes: as Ti TWA: 10 mg/m <sup>3</sup> 8 hours.

Appropriate engineering : controls	<b>F</b> user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure : controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	



# **SECTION 8: Exposure controls/personal protection**

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# **SECTION 9: Physical and chemical properties**

Appearance		
Physical state	: Liquid.	
Color	: Gray.	
Odor	: Characteristic.	
Odor threshold	: Not available.	
рН	: 8	
Melting point	: Not available.	
Boiling point	: Not available.	
Flash point	: Closed cup: 105°C (221°F)	
Evaporation rate	: Not available.	
Flammability (solid, gas)	: Not available.	
Upper/lower flammability or explosive limits	: Not available.	
Vapor pressure	: Not available.	
Vapor density	: Highest known value: (Oxirane, 2-methyl-, polymer with oxirane, monobutyl ether).	
Density	: 1.46 g/cm <sup>3</sup>	
Solubility(ies)	: Easily soluble in the following materials: cold water.	
Partition coefficient: n- octanol/water	: Not available.	
Auto-ignition temperature	: Not available.	
Decomposition temperature	: Not available.	
Viscosity	: Kinematic (room temperature): 3.97 cm <sup>2</sup> /s Kinematic (40°C): 2.01 cm <sup>2</sup> /s	

# **SECTION 10: Stability and reactivity**

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

Date of issue/Date of revision	: 31-10-2022	Version : 2	
Date of previous issue	: 5-10-2022	5/9	AkzoNobel

# **SECTION 10: Stability and reactivity**

Conditions to avoid	: No specific data.

Incompatible materials : No specific data.

Hazardous decomposition<br/>products: Under normal conditions of storage and use, hazardous decomposition products

## **SECTION 11: Toxicological information**

#### Information on toxicological effects

#### Acute toxicity

Not available.

Irritation/Corrosion Not available.

Sensitization

Not available.

#### <u>Mutagenicity</u>

Not available.

Carcinogenicity Not available.

#### **Reproductive toxicity**

Not available.

**Teratogenicity** 

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Date of issue/Date of revision	: 31-10-2022	Version : 2	
Date of previous issue	: 5-10-2022	6/9	AkzoNobel

# **SECTION 11: Toxicological information**

	-
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

# **SECTION 12: Ecological information**

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute EC50 19.3 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 27.8 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 35.306 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 3 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 13.4 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 11 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 3.6 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 15.9 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 13 mg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 >1000 mg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute LC50 >1000000 μg/l Marine water	Fish - Fundulus heteroclitus	96 hours

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

#### Mobility in soil

Date of issue/Date of revision	: 31-10-2022	Version : 2	
Date of previous issue	: 5-10-2022	7/9	AkzoNobel

# **SECTION 12: Ecological information**

Soil/water partition coefficient (Koc)

: Not available.

**Other adverse effects** : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

The information provided in section 14 is based on a bulk package shipment via ground transport in North America. All shippers are responsible for ensuring the proper transportation classification and package/container requirements are followed for the relevant mode of transport.

	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

# **Special precautions for user : Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

**SECTION 15: Regulatory information** 

### **SECTION 16: Other information**

<u>History</u>	
Date of printing	: 31 October 2022
Date of issue/ Date of revision	: 31 October 2022
Date of previous issue	: 5 October 2022

Date of issue/Date of revision	: 31-10-2022	Version : 2	
Date of previous issue	: 5-10-2022	8/9	AkzoNobel

# **SECTION 16: Other information**

Version	: 2	
Unique ID	:	
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations</li> </ul>	

#### Procedure used to derive the classification

Classification	Justification
ARCINOGENICITY - Category 2	Calculation method

#### ✓ Indicates information that has changed from previously issued version.

#### Notice to reader

#### FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

